

Příloha 2: Pearsonovy korelační koeficienty měřených znaků (vyznačeny jsou korelace nad 0,9)

	BSDC	DTM	CDM	HSDC	DDC	BSSC	BSHC	SM	BPS	BSZ	SZ	DHCT	HSHC	DHC	HPS
BSDC	1	0.872	0.829	0.906	0.969	0.334	0.549	0.643	0.65	0.471	0.485	0.346	0.303	0.435	0.561
DTM	0.872	1	0.879	0.827	0.866	0.723	0.695	0.541	0.557	0.347	0.667	0.729	0.444	0.607	0.461
CDM	0.829	0.879	1	0.744	0.793	0.505	0.836	0.645	0.631	0.659	0.771	0.61	0.735	0.812	0.586
HSDC	0.906	0.827	0.744	1	0.974	0.285	0.365	0.539	0.526	0.274	0.351	0.261	0.114	0.245	0.493
DDC	0.969	0.866	0.793	0.974	1	0.316	0.445	0.549	0.548	0.351	0.384	0.292	0.192	0.326	0.488
BSSC	0.334	0.723	0.505	0.285	0.316	1	0.64	0.23	0.261	0.047	0.588	0.939	0.402	0.582	0.169
BSHC	0.549	0.695	0.836	0.365	0.445	0.64	1	0.625	0.602	0.784	0.819	0.732	0.824	0.966	0.577
SM	0.643	0.541	0.645	0.539	0.549	0.23	0.625	1	0.95	0.637	0.714	0.317	0.457	0.517	0.941
BPS	0.65	0.557	0.631	0.526	0.548	0.261	0.602	0.95	1	0.582	0.704	0.349	0.442	0.491	0.789
BSZ	0.471	0.347	0.659	0.274	0.351	0.047	0.784	0.637	0.582	1	0.582	0.208	0.672	0.758	0.624
SZ	0.485	0.667	0.771	0.351	0.384	0.588	0.819	0.714	0.704	0.582	1	0.784	0.82	0.831	0.643
DHCT	0.346	0.729	0.61	0.261	0.292	0.939	0.732	0.317	0.349	0.208	0.784	1	0.606	0.727	0.245
HSHC	0.303	0.444	0.735	0.114	0.192	0.402	0.824	0.457	0.442	0.672	0.82	0.606	1	0.929	0.418
DHC	0.435	0.607	0.812	0.245	0.326	0.582	0.966	0.517	0.491	0.758	0.831	0.727	0.929	1	0.485
HPS	0.561	0.461	0.586	0.493	0.488	0.169	0.577	0.941	0.789	0.624	0.643	0.245	0.418	0.485	1